



ステンレス 角パイプ

ステン 角パイプ



ステン 平角パイプ




□ = #280HL

■ = #280HL・#400ミガキ

サイズ			厚さ					mm
正方形	長方形	長さ	0.8	1.0	1.2	1.5	2.0	3.0
7 × 7		4,000		■				
9 × 9		〃	■	■				
10 × 10		〃		■	■			
12 × 12		〃		■	■			
14 × 14		〃		■	■			
	10 × 19	〃		■	■			
16 × 16		5,000		■	■			
	22 × 12	〃		■	■	■		
19 × 19	24 × 14	〃		■	■	■	□	
	25 × 12	〃		■	■	■		
20 × 20		〃			□	■		
21 × 21		〃			■	■		
22 × 22		〃		□	□	■		
24 × 24	32 × 16	〃		□	■	■		
25 × 25	30 × 20	〃			■	■		
25.4 × 25.4		〃			■	■		
	30 × 25	〃			□	■		
28.6 × 28.6		〃		■	■	■		
	40 × 18	〃		■	■	■		
30 × 30	40 × 20	〃			■	■		
32 × 32		〃			■	■		
	40 × 25	〃			■	■		
35 × 35		〃			■	■		
	50 × 25	〃				■	■	
38.5 × 38.5	51 × 26	〃			■	■	■	
	50 × 30	〃				■		
40 × 40		〃				■	■	
41 × 41		〃			■	■	■	
	65 × 18	〃			■	■		
	60 × 25	〃				■	■	
46 × 46		〃				■	■	
	60 × 30	〃				■	■	
	61 × 32	〃				■	■	
	70 × 25	〃				■	■	
50 × 50	60 × 40	〃				■	■	
	70 × 30	〃				■	■	
60 × 60		〃				■	■	
	75 × 45	〃				■	■	□
	80 × 40	〃				■	■	□
	90 × 30	〃				■	■	□
	100 × 40	〃					■	□
75 × 75	100 × 50	〃					■	■
	120 × 60	〃					■	□
100 × 100	150 × 50	〃					■	□

ステンレス 角パイプ #800 鏡面仕上げ品




サイズ			厚さ	
正方形	長方形	長さ	1.5	2.0
16 × 16		5,000	○	
	22 × 12	"	○	
19 × 19	24 × 14	"	○	
21 × 21		"	○	
22 × 22		"	○	
24 × 24	32 × 16	"	○	
25 × 25	30 × 20	"	○	
25.4 × 25.4		"	○	
	30 × 25	"	○	
28.6 × 28.6		"	○	
	40 × 18	"	○	
	40 × 20	"	○	
32 × 32		"	○	
	40 × 25	"	○	
35 × 35		"	○	
38.5 × 38.5	51 × 26	"	○	
41 × 41		"	○	
	65 × 18	"	○	
46 × 46		"	○	
	61 × 32	"	○	
50 × 50		"	○	
60 × 60	80 × 40	"	○	
	75 × 45	"		○
	90 × 30	"		○
75 × 75	100 × 50	"		○
100 × 100	150 × 50	"		○

納期 約 1週間 受注生産

フラット 角パイプ


ステンレス フラット角パイプ



サイズ	長さ	1.0t	1.2t	1.5t
6 × 12	4,000	○	○	
6 × 25	"		○	○
6 × 30	"		○	○
6 × 40	"		○	○
6 × 50	"		○	○
6 × 65	"			○
9 × 50	"		○	○
9 × 65	"		○	○
9 × 75	"			○
12 × 50	"			○
12 × 65	"			○

化粧パイプ (SUS430)


ステンレス 化粧パイプ
SUS 430



サイズ	長さ	1.0t	1.2t	1.5t
13 Ø	4,000	○		
16 Ø	"	○	○	○
19 Ø	"	○	○	○
22 Ø	"	○	○	○
25 Ø	"	○	○	○
32 Ø	"	○	○	○
34 Ø	"		○	○
38 Ø	"	○	○	○
50 Ø	"			○

ステンレス 大型(肉厚) 角パイプ (SUS304)

ステン 肉厚角・平角パイプ




サイズ	肉厚	重量	肉厚	重量	肉厚	重量	肉厚	重量	肉厚	重量
	3.0t	Kg/m	4.0t	Kg/m	5.0t	Kg/m	6.0t	Kg/m	7.0t	Kg/m
40 × 40	■	3.34	■	4.24						
50 × 50	■	4.29	■	5.51	■	6.63				
50 × 60	■	5.24	■	6.78	■	8.21				
60 × 75	■	6.67	■	8.68	■	10.6				
75 × 80	■	7.14	■	9.32	■	11.4				
80 × 90	■	8.10	■	10.6	■	13.0	■	15.3		
90 × 100	■	9.05	■	11.9	■	14.6	■	17.2		
100 × 120	■	11.0	■	14.4	■	17.7	■	21.0		
120 × 125	■	11.4	■	15.0	■	18.5	■	21.9		
125 × 150	■	13.8	■	18.2	■	22.5	■	26.7		
150 × 175	■	16.2	■	21.4	■	26.5	☆	31.4	☆	36.3
175 × 200	■	18.6	■	24.5	■	30.4	■	36.2	☆	41.9
200 × 250			■	30.9	■	38.4	■	45.7	☆	53.0
250 × 300			■	37.5	■	46.7	■	55.7		
60 × 30	■	3.81	■	4.88						
75 × 45	■	5.24	■	6.78						
80 × 40	■	5.24	■	6.78						
90 × 50	■	6.19	■	8.05						
100 × 40	■	6.19	■	8.05						
100 × 50	■	6.67	■	8.68	■	10.6	■	12.4		
125 × 75	■	9.05	■	11.9	■	14.6	■	17.2		
150 × 75	■	10.2	■	13.4	■	16.5	■	19.5		
150 × 100	■	11.4	■	15.0	■	18.5	■	21.9		
200 × 75	■	12.6	■	16.6	■	20.5	☆	24.3		
200 × 100	■	13.8	■	18.2	■	22.5	■	26.7		
200 × 150	■	16.2	■	21.4	☆	26.5	☆	31.4	☆	36.3
300 × 200				30.9	■	38.4	■	45.7	☆	53.0

未研磨品 ☆ = 酸洗品 受注生産品

ステンレス 化粧パイプ (SUS304)

ステンレス 化粧パイプ




定尺 = 4・5・6M

サイズ	0.8t	1.0t	1.2t	1.5t	2.0t	3.0t	4.0t
5 Ø	○	○					
6 Ø	○						
7 Ø	○	⊕ ⊕					
8 Ø	○	⊕					
9 Ø	○						
10 Ø	○	⊕					
12 Ø	○	⊕					
13 Ø	○	⊕	⊕	⊕ ⊕ ⊕			
13.8 Ø			⊕	⊕			
14 Ø	○	○					
15 Ø	○	○					
16 Ø		⊕	⊕	⊕ ⊕ ⊕	⊕		
17.3 Ø				⊕ ⊕ ⊕	⊕ ⊕		
19 Ø		⊕	⊕	⊕ ⊕ ⊕	⊕		
21.7 Ø			⊕	⊕ ⊕ ⊕	⊕ ⊕ ⊕	⊕	
22 Ø	○	⊕	⊕	⊕ ⊕ ⊕	⊕		
25 Ø	○	○	⊕	⊕ ⊕ ⊕	⊕ ⊕ ⊕	⊕	
25.4 Ø		○		⊕	⊕		
27.2 Ø		○	⊕	⊕ ⊕ ⊕	⊕ ⊕ ⊕	⊕	
32 Ø		○	⊕	⊕ ⊕ ⊕	⊕ ⊕ ⊕	⊕	
34 Ø		○	⊕	⊕ ⊕ ⊕	⊕ ⊕ ⊕	⊕ ⊕ ⊕	
38 Ø		○	⊕	⊕ ⊕ ⊕	⊕ ⊕ ⊕	⊕ ⊕ ⊕	
42.7 Ø			⊕	⊕ ⊕ ⊕	⊕ ⊕ ⊕	⊕ ⊕ ⊕	
45 Ø				⊕	⊕		
48.6 Ø			⊕	⊕ ⊕ ⊕	⊕ ⊕ ⊕	⊕ ⊕ ⊕	
50 Ø		○	○	⊕ ⊕ ⊕	⊕ ⊕ ⊕	⊕ ⊕ ⊕	
60.5 Ø				⊕ ⊕ ⊕	⊕ ⊕ ⊕	⊕ ⊕ ⊕	
76.3 Ø				⊕ ⊕	⊕ ⊕	⊕ ⊕	
89.1 Ø				⊕	⊕ ⊕	⊕ ⊕	⊕
101.6 Ø				⊕	⊕ ⊕	⊕ ⊕	⊕
114.3 Ø					⊕ ⊕	⊕ ⊕	⊕
139.8 Ø					⊕ ⊕	⊕ ⊕	⊕
165.2 Ø						⊕ ⊕	⊕
216.3 Ø							⊕

- 定尺 : 4,000mm ○ =#400 ⊕ =#400・HL
- 定尺 : 5,000mm ⊕ =#400・HL
- 定尺 : 6,000mm ⊕ =#400・HL

ステンレス 配管パイプ (SUS)

ステンレス 配管パイプ



定尺=4,000

重量算出 (SUS304)

W = 管の重量 (Kg/m)

t = 管の厚さ (mm)

D = 管の外径 (mm)


W = 0.02491 × t (D-t) 有効数字を3桁にまとめ

呼名径 A	インチ B	厚み 外径 D	1.0t Kg/P	1.5t Kg/P	2.0t Kg/P	2.5t Kg/P	3.0t Kg/P	3.5t Kg/P	4.0t Kg/P	4.5t Kg/P	5.0t Kg/P	6.0t Kg/P
		6 Ø	0.50									
		8 Ø	0.696									
		10 Ø	0.896	1.27								
6	1/8	10.5 Ø		1.34	1.68							
		12 Ø	1.10		1.99							
		12.7 Ø		1.67	2.13							
8	1/4	13.8 Ø		1.84	2.35		3.23					
		16 Ø	1.50	2.17	2.79							
10	3/8	17.3 Ø		2.36	3.05		4.28					
		19 Ø	1.79	2.62	3.39							
		20 Ø		2.76	3.59							
15		21.7 Ø		3.02	3.92	4.80	5.6					
		22 Ø	2.09									
		25.4 Ø		3.57	4.68		6.68					
20	3/4	27.2 Ø		3.84	5.04	6.16	7.24					
		30 Ø		4.24	5.56							
		32 Ø		4.56	5.96		8.68					
25	1	34 Ø		4.84	6.36		9.28	10.6	12.0			
		38 Ø		5.44	7.16		10.5					
32	1 1/4	42.7 Ø		6.16	8.12		11.9	13.7	15.4			
40	1 1/2	48.6 Ø		7.04	9.28		13.6	15.7	17.4			
		50.8 Ø		7.36	9.78		14.3					
50	2	60.5 Ø		8.80	11.6		17.2	19.9	22.5			
65	2 1/2	76.3 Ø			14.8		21.9	25.4	28.8		35.5	
80	3	89.1 Ø			17.4		25.7		33.9		42.0	
90	3 1/2	101.6 Ø			19.8		29.5	(BASE)	38.9		48.0	57.2
100	4	114.3 Ø			22.4		33.3		44.0		54.4	64.8
125	5	139.8 Ø					40.8	47.6	54.0		67.2	80.0
150	6	165.2 Ø					48.4	56.4	64.4		80.8	95.2
200	8	216.3 Ø					63.6		84.8		105	126
250	10	267.4 Ø					79.2		105		131	156
300	12	318.5 Ø					94.4		125	141	156	187
350	14	355.6 Ø					106		140		175	209
400	16	406.4 Ø					120		160		200	239
450	18	457.2 Ø					136		181		225	270
500	20	508 Ø					152		202		251	300

丸座金 メクラ

丸座金 穴明

D-丸座金 (丸パイプ用)




寸法	肉厚 t	外径 A
10	2.0mm	9
12	"	11
13	"	12
13.8	"	12.8
16	"	15
17.3	"	16.3
19	"	18
21.7	"	21
22	"	21
25	"	24
25.4	"	24
27.2	"	26.2
32	"	31
34	"	33
38	"	37
42.7	"	41.7
48.6	"	47.6
50	"	49
60.5	"	59.5
76.3	"	75.3
89.1	"	88.1
101.6	3.0mm	100
114.3	"	113
139.8	3.5mm	140
165.2	"	166

寸法	肉厚 t	内径 B	外径 A	リング巾 C
10	2.0mm	10.5	26.5	8
12	"	12.5	28.5	"
13	"	13.5	29.5	"
13.8	"	14.3	30.3	"
16	"	16.5	36.5	10
17.3	"	17.8	37.8	"
19	"	19.5	39.5	"
21.7	"	22.5	42.5	"
22	"	"	"	"
25	"	25.8	45.8	"
25.4	"	"	"	"
27.2	"	28	48	"
32	"	33	63	15
34	"	35	65	"
38	"	39	69	"
42.7	"	43.7	73.7	"
48.6	"	49.6	85.6	18
50	"	51	87	"
60.5	"	62	102	20
76.3	"	77.8	117.8	"
89.1	"	90.6	130.6	"
101.6	3.0mm	103	173	35
114.3	"	116	196	40
139.8	3.5mm	223	143	40
165.2	"	258	168	45


化粧パイプ サイズ	穴明				メクラ					
	A	×	B	C	A	×	C	E	F	
D-19	58.0	×	19.5	×	3.0			1.0	2.5	
D-21.7	58.0	×	22.5	×	3.0			1.0	2.5	
D-22	58.0	×	22.5	×	3.0			1.0	2.5	
D-25	68.0	×	25.9	×	3.0			1.0	2.5	
D-25.4	68.0	×	27.7	×	3.0			1.0	2.5	
D-27.2	68.5	×	33.0	×	3.5			1.0	2.5	
D-32	86.0	×	35.0	×	3.5	31.0	×	3.5	1.5	3.0
D-34	86.0	×	39.0	×	3.5	33.0	×	3.5	1.5	3.0
D-38	102	×	43.7	×	3.5	37.0	×	3.5	1.5	3.0
D-42.7	110	×	49.6	×	3.5	41.7	×	3.5	1.5	3.0
D-48.6	110	×	51.0	×	3.5	47.6	×	4.5	2.0	3.5
D-50	126	×	61.5	×	3.5	49.0	×	4.5	2.0	3.5
D-60.5						59.5	×	4.5	2.0	3.5
D-76.3						75.3	×	4.5	2.0	3.5
D-89.1						88.1	×	4.5	2.0	3.5

ネック付 ロングエルボ



外径	t	R	S	A	H	Pmax	Qmax
19	2.0	28.6	21.4	50	59.5	0.5	0.5
21.7	2.0	28.6	21.4	50	60.9	0.5	0.5
25	2.0	28.6	21.4	50	62.5	0.5	0.5
27.2	2.0	28.6	21.4	50	63.6	0.5	0.5
32	2.0	28.6	21.4	50	66.0	0.5	0.5
34	2.0	38.1	21.9	60	77.0	0.5	0.5
38	2.0	38.1	21.9	60	79.0	0.5	0.5
42.7	2.0	38.1	21.9	60	81.4	0.5	0.5
48.6	2.0	38.1	21.9	60	84.3	0.5	0.5
50	2.0	38.1	21.9	60	85.0	0.5	0.5
60.5	2.0	50.8	29.2	80	110.3	0.5	0.5
76.3	2.0	63.5	16.2	80	118.2	0.5	0.5
89.1	2.0	76.2	13.8	90	134.6	0.5	0.5



ロングエルボ



外径	肉厚	中心 R
19	2.0t	38.1
21.7	"	38.1
25	"	33.0
27.2	"	38.0
32	"	38.1
34	"	38.1
38	"	47.2
42.7	"	47.2
48.6	"	57.2
50	"	57.2
60.5	"	76.2
76.3	"	95.2
89.1	"	114.3
101.6	"	133.4
114.3	"	152.4
139.8	3.0t	19.6
165.2	3.0t	228.6

シャープ エルボ

化粧パイプ用ジョイント管



O·D	T	R 1	R 2	S 1	S 2	A	H 1	H 2	P	Q
27.2	2.0	26.0	5.0	71	67.8	86.4	7.3	100	0.5	0.5
32	2.0	28.0	7.0	62	51.0	74.0	58.0	90	0.5	0.5
34	2.0	28.0	7.0	57	44.0	68.0	51.0	85	0.5	0.5
38	2.0	32.0	7.0	53	39.0	66.0	47.0	85	0.5	0.5
42.7	2.0	35.0	10.0	45	27.3	58.7	37.2	80	0.5	0.5
48.6	2.0	40.0	12.0	40	19.4	55.7	31.4	80	0.5	0.5

化粧パイプ用 ジョイント管

化粧パイプ サイズ	D寸法	d寸法	化粧パイプ サイズ	D寸法	d寸法
Ø19 × 1.5	15.7	14.2	Ø38 × 1.5	35.0	33.5
Ø21.7 × 1.5	18.4	16.9	Ø38 × 2.0	34.0	32.5
Ø21.7 × 2.5	17.4	15.9	Ø42.7 × 1.5	39.7	38.2
Ø22 × 1.5	18.7	17.2	Ø42.7 × 2.0	38.7	37.2
Ø25 × 1.5	22.0	20.5	Ø48.6 × 1.5	45.6	44.1
Ø25 × 2.0	21.0	19.5	Ø48.6 × 2.0	44.5	43.1
Ø27.2 × 1.5	24.2	22.7	Ø50 × 1.5	47.0	45.5
Ø27.2 × 2.0	23.2	21.7	Ø50 × 2.0	46.0	44.5
Ø32 × 1.5	29.0	27.5	Ø60.5 × 1.5	57.5	56.0
Ø32 × 2.0	23.0	26.5	Ø60.5 × 2.0	56.5	55.0
Ø34 × 1.5	31.0	29.5	Ø60.5 × 3.0	54.5	53.0
Ø34 × 2.0	30.0	28.5			

SUS 304・316 フラットバー サイズ 2

ステン フラットバー




GOLD	HOT	HL	#400	サイズ	Kg/P
○		○		9 × 13	3.71
○	○	○		9 × 15	4.28
○		○		9 × 16	4.57
○	○	○		9 × 19	5.42
○	○	○	○	9 × 20	5.71
○	○	○		9 × 22	6.28
○	○	○	○	9 × 25	7.14
○	○	○	○	9 × 30	8.56
○	○	○	○	9 × 32	9.14
	○			9 × 35	9.99
○	○	○	○	9 × 38	10.8
○	○	○	○	9 × 40	11.4
○	○	○		9 × 50	14.3
	○			9 × 55	15.7
	○			9 × 60	17.1
○	○	○	○	9 × 65	18.6
○	○	○	○	9 × 75	21.4
○	○	○		9 × 90	25.7
○	○	○		9 × 100	28.5
○	○			9 × 125	35.7
○				9 × 200	57.1
○				9 × 250	71.4
○				9 × 300	85.6
○	○	○		10 × 15	4.76
○	○	○		10 × 19	6.03
○	○	○	○	10 × 20	6.34
○	○	○	○	10 × 25	7.94
○	○	○	○	10 × 30	9.52
○	○	○	○	10 × 32	10.2
	○			10 × 35	11.1
○	○	○	○	10 × 38	12.1
○	○	○		10 × 40	12.7
○	○	○	○	10 × 50	15.9
○	○	○	○	10 × 65	20.6
○	○	○		10 × 75	23.8
○	○	○		10 × 100	31.7
○	○			10 × 125	39.7
○	○			10 × 150	47.6
○				10 × 200	63.6
○				10 × 250	79.2


GOLD	HOT	HL	#400	サイズ	Kg/P
				12 × 14	5.33
	○			12 × 15	5.71
○		○		12 × 16	6.09
○	○	○		12 × 19	7.23
○		○	○	12 × 20	7.61
○	○	○	○	12 × 25	9.52
	○			12 × 28	10.7
○	○	○	○	12 × 30	11.4
○	○	○		12 × 32	12.2
	○			12 × 35	13.3
○	○	○	○	12 × 38	14.5
○	○	○	○	12 × 40	15.2
○	○	○	○	12 × 50	19.0
○	○	○	○	12 × 65	24.7
	○			12 × 70	26.6
○	○			12 × 75	28.5
○	○			12 × 90	34.3
○	○			12 × 100	38.1
○	○			12 × 125	47.6
○	○			12 × 150	57.1
○				12 × 200	76.1
○				12 × 250	95.2
○				12 × 300	114
○		○		16 × 19	9.64
○	○	○	○	16 × 20	10.2
○	○	○	○	16 × 25	12.7
	○			16 × 30	15.2
○	○	○		16 × 32	16.2
	○			16 × 35	17.8
○	○	○	○	16 × 38	19.3
○	○	○		16 × 40	20.3
○	○	○	○	16 × 50	25.4
○	○	○		16 × 65	33.0
	○			16 × 75	38.1
○	○	○		16 × 90	45.7
○	○			16 × 100	50.8
○	○			16 × 125	63.4
○	○			16 × 150	76.1
○				16 × 200	102
○				16 × 250	127
○				16 × 300	152

GOLD	HOT	HL	#400	サイズ	Kg/P
○	○	○	○	19 × 25	15.1
	○			19 × 30	18.1
○	○	○	○	19 × 32	19.3
	○			19 × 35	21.1
○	○	○	○	19 × 38	22.9
	○			19 × 40	24.1
○	○	○	○	19 × 50	30.1
○	○	○		19 × 65	39.2
○	○	○		19 × 75	45.2
○	○	○		19 × 100	60.3
○	○			19 × 125	75.3
○	○			19 × 150	90.4
○				19 × 200	121
○				19 × 250	151
○				19 × 300	181
	○			22 × 25	17.4
	○			22 × 30	20.9
○	○			22 × 32	22.3
	○			22 × 35	24.4
○	○			22 × 38	26.5
	○			22 × 40	27.9
	○			22 × 45	31.4
○	○			22 × 50	34.9
○	○			22 × 65	45.4
○	○			22 × 75	52.3
○	○			22 × 100	69.8
	○			22 × 125	87.2
	○			22 × 150	105
○	○			25 × 32	25.4
○	○			25 × 38	30.1
○	○			25 × 50	39.7
	○			25 × 60	47.6
○	○			25 × 65	51.6
○	○			25 × 75	59.6
○	○			25 × 100	79.3
○	○			25 × 125	99.1
	○			25 × 150	119
○	○			30 × 50	47.6
○	○			30 × 55	52.3
○	○			30 × 65	61.8
○	○			30 × 75	71.4
○	○			30 × 100	95.2
	○			30 × 125	119
	○			30 × 150	143

SUS 丸棒



SUS 角棒



外径 D	m/重量	直棒	酸洗	HL	ピ-リング	引抜	センターレス
2 Ø	0.025	○					○
2.5 Ø	0.039	○					○
3 Ø	0.056	○					○
4 Ø	0.100	○					○
5 Ø	0.156	○					○
6 Ø	0.224	○					○
7 Ø	0.305	○					○
8 Ø	0.398	○	○	○	○		○
9 Ø	0.504	○	○	○	○	○	○
10 Ø	0.623	○	○	○	○	○	○
11 Ø	0.753				○	○	○
12 Ø	0.893	○	○	○	○	○	○
13 Ø	1.05	○	○	○	○	○	○
14 Ø	1.22		○	○	○	○	○
15 Ø	1.40		○	○	○	○	○
16 Ø	1.59		○	○	○	○	○
17 Ø	1.80				○	○	○
18 Ø	2.02				○	○	○
19 Ø	2.25		○	○	○	○	○
20 Ø	2.49		○	○	○	○	○
22 Ø	3.01		○	○	○	○	○
25 Ø	3.89		○	○	○	○	○
28 Ø	4.88		○	○	○	○	○
30 Ø	5.60		○		○	○	○
32 Ø	6.37		○		○	○	
35 Ø	7.63		○		○	○	○
38 Ø	8.99		○		○	○	
40 Ø	9.96		○		○	○	○
42 Ø	11.0		○		○	○	
45 Ø	12.6		○		○	○	○
48 Ø	14.3		○		○	○	
50 Ø	15.6		○		○	○	
55 Ø	18.8		○		○	○	
60 Ø	22.4		○		○	○	
65 Ø	26.3		○		○	○	
70 Ø	30.5		○		○	○	
75 Ø	36.0		○		○		
80 Ø	39.8		○		○		
85 Ø	45.0		○		○		
90 Ø	50.4		○		○		
95 Ø	56.2		○		○		
100 Ø	62.3		○		○		
110 Ø	75.3		○		○		
120 Ø	89.6		○		○		
130 Ø	105		○		○		
150 Ø	140		○		○		
180 Ø	202		○		○		

サイズ	Kg/P	COLD	HOT	HL	#400
3 × 3 2M	0.142	○			
4 × 4 3M	0.381	○			
5 × 5 4M	0.792	○			
6 × 6	1.41	○			
7 × 7	1.56	○			
8 × 8	2.03	○		○	○
9 × 9	2.57	○		○	○
10 × 10	3.17	○		○	○
12 × 12	4.57	○	○	○	○
13 × 13	5.36	○	○	○	○
14 × 14	6.22	○	○	○	
15 × 15	7.14	○	○	○	
16 × 16	8.12	○	○	○	○
19 × 19	11.5	○	○	○	○
20 × 20	12.7	○	○	○	
22 × 22	15.4	○	○	○	
25 × 25	19.8	○	○	○	
26 × 26	21.4	○			
28 × 28	24.9	○	○		
30 × 30	28.5	○	○		
32 × 32	32.5	○	○		
36 × 36	41.1	○	○		
38 × 38	15.8	○	○		
40 × 40	50.8	○	○		
42 × 42	56.0		○		
45 × 45	64.2	○	○		
50 × 50	79.3	○	○		
55 × 55	96.0	○	○		
60 × 60	114		○		
65 × 65	134		○		
70 × 70	155		○		
75 × 75	178		○		
90 × 90	257		○		
100 × 100	317		○		


直棒長さ: 2M 4M

酸洗長さ: 4M

HL: 4M #280HL

□ 定尺=4,000


ステンレス アングル (SUS304 SUS316)



種類	SUS 304			SUS 316
	サイズ	Kg/P	表面処理	
3 × 20 × 20 × 4,000	3.58	○ ○ □	3.60	
3 × 25 × 25 × 4,000	4.52	○ ○ □	4.56	
3 × 30 × 30 × 4,000	5.48	○ ○ □		
3 × 30 × 30 × 6,000	8.22	○ ○ □	8.24	
3 × 40 × 40 × 4,000	7.40	○ ○ □		
3 × 40 × 40 × 6,000	11.1	○ ○ □	11.2	
3 × 50 × 50 × 4,000	9.48	○		
3 × 50 × 50 × 6,000	14.2	○		
4 × 35 × 35 × 6,000	12.8	○		
4 × 40 × 40 × 4,000	9.64	○		
4 × 40 × 40 × 6,000	14.5	○ ○		
4 × 50 × 50 × 4,000	12.4	○		
4 × 50 × 50 × 6,000	18.5	○ ○ □	18.7	
5 × 40 × 40 × 4,000	11.9	○		
5 × 40 × 40 × 6,000	17.9	○ ○ □	18.0	
5 × 45 × 45 × 6,000	20.3	○		
5 × 50 × 50 × 4,000	15.2	○		
5 × 50 × 50 × 6,000	22.9	○ ○ □		
6 × 30 × 30 × 6,000	15.2	○		
6 × 40 × 40 × 6,000	21.0	○		
6 × 50 × 50 × 4,000	17.9	○		
6 × 50 × 50 × 6,000	26.9	○ ○ □	27.0	
6 × 60 × 60 × 6,000	32.6	○		
6 × 65 × 65 × 4,000	23.9	○		
6 × 65 × 65 × 6,000	35.8	○ ○ □	36.1	
6 × 75 × 75 × 4,000	27.7	○		
6 × 75 × 75 × 6,000	41.5	○ ○ □	41.8	
6 × 100 × 100 × 6,000	55.9	○		
7 × 70 × 70 × 6,000	44.5	○		
8 × 65 × 65 × 6,000	46.4	○		
8 × 80 × 80 × 6,000	57.8	○		
8 × 100 × 100 × 6,000	73.2	○		
9 × 50 × 50 × 6,000	38.6	○		
9 × 75 × 75 × 4,000	40.4	○		
9 × 75 × 75 × 6,000	60.6	○ ○ □	60.6	
9 × 90 × 90 × 6,000	73.8	○		
10 × 100 × 100 × 6,000	60.4	○		
10 × 100 × 100 × 6,000	90.6	○ ○ □	91.2	

未研磨 HL #400

ピン角コールドアングル (SUS304)




SUS 304			
サイズ	Kg/P	内 R	
3 × 20 × 20 × 4,000	3.54	1.5	
3 × 25 × 25 × 4,000	4.48	1.5	
3 × 30 × 30 × 4,000	5.44	1.5	
3 × 30 × 30 × 6,000	8.16	1.5	
3 × 40 × 40 × 4,000	7.36	1.5	
3 × 40 × 40 × 6,000	11.0	1.5	
3 × 50 × 50 × 4,000	9.24	1.5	
3 × 50 × 50 × 6,000	13.9	1.5	
4 × 30 × 30 × 6,000	10.7	1.5	
4 × 40 × 40 × 6,000	14.5	1.5	
4 × 50 × 50 × 6,000	18.3	1.5	
5 × 30 × 30 × 6,000	13.1	1.5	
5 × 40 × 40 × 6,000	17.9	1.5	
5 × 50 × 50 × 6,000	22.6	1.5	
6 × 30 × 30 × 6,000	15.5	2.0	
6 × 40 × 40 × 6,000	21.2	2.0	
6 × 50 × 50 × 6,000	26.9	2.0	
6 × 60 × 60 × 6,000	32.6	2.0	
6 × 65 × 65 × 6,000	35.6	2.0	
6 × 75 × 75 × 6,000	41.2	2.0	
6 × 100 × 100 × 6,000	50.4	2.0	
9 × 50 × 50 × 6,000	39.0	2.0	
9 × 75 × 75 × 6,000	60.6	2.0	
9 × 90 × 90 × 6,000	81.6	2.0	

未研磨品

ステンレス アングル (SUS430)

サイズ	Kg/P	内 R
2 × 30 × 30 × 4,000	3.62	
2 × 40 × 40 × 4,000	4.88	
3 × 20 × 20 × 4,000	3.47	
3 × 25 × 25 × 4,000	4.40	
3 × 30 × 30 × 4,000	5.32	
3 × 40 × 40 × 4,000	7.20	

ステンレス 不等辺アングル (SUS304)




● 形辺切断品

種類	SUS 304		
	サイズ	Kg/P	表面処理
4 × 45 × 30 × 6,000	13.6	○	●
6 × 50 × 30 × 6,000	21.4	○	●
6 × 65 × 50 × 6,000	31.7	○	●
6 × 75 × 50 × 6,000	34.4	○	
6 × 75 × 65 × 6,000	38.8	○	●
6 × 100 × 75 × 6,000	48.8	○	
6 × 125 × 75 × 6,000	55.9	○	
7 × 75 × 50 × 6,000	39.5	○	
7 × 100 × 75 × 6,000	56.7	○	●
9 × 75 × 50 × 6,000	50.0	○	●
9 × 90 × 75 × 6,000	67.2	○	●
9 × 100 × 75 × 6,000	71.4	○	
9 × 125 × 75 × 6,000	82.2	○	
9 × 150 × 90 × 6,000	99.0	○	
12 × 150 × 90 × 6,000	130.0	○	

未研磨

フォーミングアングル (SUS304)



SUS 304		
サイズ	Kg/P	芯 R
2 × 20 × 20 × 4,000	2.37	1.4
2 × 25 × 25 × 4,000	3.01	1.5
2 × 30 × 30 × 4,000	3.64	1.5
2 × 40 × 40 × 4,000	4.92	1.5
3 × 15 × 15 × 4,000	2.48	2.7
3 × 20 × 20 × 4,000	3.44	2.7
3 × 25 × 25 × 4,000	4.40	2.7
3 × 30 × 30 × 4,000	5.3	2.7
3 × 30 × 30 × 6,000	8.0	2.7
3 × 40 × 40 × 4,000	7.2	2.7
3 × 40 × 40 × 6,000	10.9	2.7


仕上 未研磨・BG

スモールアングル (SUS304)

サイズ	Kg/P	外 R
1.0 × 9 × 9 × 4,000	0.57	1.5
1.0 × 10 × 10 × 4,000	0.63	1.5
1.0 × 12 × 12 × 4,000	0.76	1.5
1.0 × 13 × 13 × 4,000	0.82	1.5
1.0 × 16 × 16 × 4,000	1.01	1.5
1.0 × 19 × 19 × 4,000	1.20	1.5
1.2 × 19 × 19 × 4,000	1.39	2.0
1.0 × 25 × 25 × 4,000	1.53	1.5
1.2 × 25 × 25 × 4,000	1.90	2.0
1.2 × 30 × 30 × 4,000	2.17	2.0
1.5 × 30 × 30 × 4,000	2.85	2.5
1.2 × 32 × 32 × 4,000	2.32	2.0
1.5 × 32 × 32 × 4,000	3.04	2.5

外2面HL SPV仕上品


半球 キャップ



外径・肉厚	A
25 × 1.5	13
27.2 × 1.5	13
32 × 1.5	16
34 × 1.5	16
38 × 1.5	20
42.7 × 1.5	20
48.6 × 1.5	22.5
50 × 1.5	22.5
60.5 × 2.0	26
76.3 × 2.0	26
89.1 × 2.0	32
101.6 × 2.5	35
114.3 × 2.5	38
139.8 × 3.0	32
162.2 × 3.0	35
216.3 × 3.0	38

#600 研磨品 HL品 酸洗品

キャップ



外径・肉厚	A	B
19 × 1.5	10	4.0
22 × 1.5	12	5.5
25 × 1.5	13	6.5
27.2 × 1.5	13	6.0
32 × 1.5	16	8.0
34 × 1.5	16	6.5
38 × 1.5	20	9.5
42.7 × 1.5	20	8.0
48.6 × 1.5	22.5	9.0
50 × 1.5	22.5	9.0
60.5 × 2.0	26	10.0
76.3 × 2.0	26	10.0
89.1 × 2.0	32	11.5
101.6 × 2.0	35	12.5
114.3 × 2.0	38	13.0

#600 研磨品 HL品 酸洗品


浅型 キャップ



外径・肉厚	A
25 × 1.5	4
27.2 × 1.5	4.5
32 × 1.5	5
34 × 1.5	5.5
38 × 1.5	6
42.7 × 1.5	7
48.6 × 1.5	8
50 × 1.5	8
60.5 × 2.0	10
76.3 × 2.0	12
89.1 × 2.0	15
101.6 × 2.5	16
114.3 × 2.5	18

#600 研磨品 HL品 酸洗品





球




外径サイズ	厚み	外径サイズ	厚み
26	1.0	100	1.5
30	0.8	115	1.0
34	1.5	120	1.5
38	1.5	125	2.0
40	0.8	130	1.5
50	0.8	140	2.0
50.8	1.2	150	1.5
60	1.0	180	2.0
70	1.0	200	1.5
70	1.5	240	1.5
76	0.8	300	1.5
80	1.0	400	1.5
90	1.0		

表面 #800仕上げ

ステンレス ダエン・半丸パイプ


形状	サイズ	
DA型 	1.2 × 28 × 16 × 5,000 1.2 × 40 × 20 × 5,000 1.5 × 60 × 30 × 5,000 1.2 × 71 × 23 × 5,000 HL・#400 仕上	1.5 × 84 × 28 × 5,000 2.0 × 120 × 45 × 5,000 3.0 × 220 × 100 × 5,000
DB型 	1.5 × 34 × 19 × 5,000 HL 仕上	
フラット型 	1.5 × 30 × 6 × 4,000 1.5 × 40 × 6 × 4,000 1.5 × 50 × 6 × 4,000 1.5 × 30 × 9 × 4,000 1.5 × 40 × 9 × 4,000 1.5 × 50 × 9 × 4,000 1.5 × 40 × 12 × 4,000 1.5 × 50 × 12 × 4,000	1.5 × 37 × 14 × 5,000 1.5 × 40 × 15 × 5,000 1.2 × 46 × 20 × 5,000 1.5 × 46 × 20 × 5,000 1.5 × 65 × 20 × 5,000 1.5 × 80 × 25 × 5,000 2.0 × 100 × 35 × 5,000 2.0 × 100 × 35 × 6,000
半丸パイプ 	1.5 × 40 × 20 × 5,000 1.5 × 50 × 25 × 5,000 HL 仕上げ	2.0 × 60 × 30 × 5,000 2.0 × 80 × 40 × 5,000 2.0 × 100 × 50 × 5,000

ラウンドフラットバー (SUS304)



サイズ		サイズ	
A × t	Kg/p	A × t	Kg/p
3 × 15	1.36	6 × 40	7.36
3 × 20	1.84	6 × 50	9.24
3 × 25	2.32	6 × 65	12.1
3 × 30	2.79	6 × 75	14.0
3 × 32	2.98	6 × 100	18.8
3 × 40	3.74	9 × 30	8.0
3 × 50	4.72	9 × 40	10.8
3 × 65	6.12	9 × 50	13.7
3 × 75	7.08	9 × 65	18.0
3 × 100	9.48	9 × 75	20.8
6 × 25	4.48	9 × 100	28.0
6 × 30	5.44		

C型 半丸鋼 SUS304




W1 × R1 × L	P/W
40 × 20 × 5500	26.1
50 × 25 × 5500	38.5
60 × 30 × 5500	55

寸法詳細

R1	R2	W1	W2	W3	r1	r2	h1
20	10	40	38	20	16	3	6
25	13	50	45	23	16	3	7
30	16	60	56	30	16	3	8

異形管 サイズ


半丸鋼 SUS304



W × R × L	P/W
30 × 15 × 4000	11.5
40 × 20 × 4000	20.3
50 × 25 × 4000	31.0
60 × 30 × 4000	45.0

HOT 材

コンプレッションバー




Wt	R	M/W
32 × 16	8	3.84
38 × 16	8	4.60
40 × 16	8	4.85
40 × 22	11	6.55
50 × 20	10	7.58
65 × 16	8	8.02

HOT 材


このページの部材については、在庫確認が必要です。

クローズドパイプ




A × B × C
 1.5 × 25 × 300
 1.5 × 32 × 300
 1.5 × 38 × 300
 1.5 × 42.7 × 300
 1.5 × 48.6 × 300
 1.5 × 60.5 × 300
 仕上 HL・#400
 受注生産品

異形楕円




1.5 × 50 × 20
 1.5 × 60 × 25
 1.5 × 80 × 30
 1.5 × 100 × 40
 長さ 5,000
 表面仕上
 HL
 #400 仕上

溝形パイプ




1.5 × 42.7 × 20 × 20
 1.5 × 48.6 × 20 × 20
 1.5 × 50 × 20 × 20
 2.0 × 76.3 × 30 × 25
 2.0 × 89.1 × 30 × 25
 2.0 × 101.6 × 40 × 30
 長さ 5,000
 表面仕上 2B
 HL #400

Dパイプ




34.0 × 25.0 × 30 × 1.5
 34.0 × 25.0 × 30 × 2.0
 38.0 × 31.0 × 30 × 1.5
 38.0 × 31.0 × 30 × 2.0
 42.7 × 34.5 × 30 × 1.5
 42.7 × 34.5 × 30 × 2.0
 長さ 4,000
 HL・#400

両溝タイプ




1.5 × 40 × 40 × 17 × 15
 長さ 5,000
 表面仕上
 HL
 #400 仕上

甲丸パイプ




1.5 × 62 × 40 × 6,000
 2.0 × 62 × 40 × 6,000
 表面仕上 2B
 HL #400

甲丸パイプ




2.0 × 80 × 45
 長さ 6,000
 表面仕上 HL

溝形角パイプ



1.5 × 75 × 45
 長さ 4,100・5,000
 表面仕上 HL

溝形角パイプ



1.5 × 50 × 25 × 20 × 20
 2.0 × 100 × 50 × 30 × 30
 長さ 5,000
 表面仕上
 HL・#400